

FINAL
10-25
50,000

Final Report

HALOE Science Investigation NCC1-43

May 1998

**Dr. D. Chris Benner
Department of Physics
College of William and Mary
Williamsburg, VA**

I. Introduction

This cooperative agreement has investigated a number of spectroscopic problems of interest to the Halogen Occultation Experiment (HALOE). The types of studies performed are in two parts, namely, those that involve the testing and characterization of correlation spectrometers and those that provide basic molecular spectroscopic information. In addition, some solar studies were performed with the calibration data returned by HALOE from orbit.

II. Instrumental Studies

Analysis of data from a gas correlation spectrometer requires considerable knowledge of the characteristics of the spectrometer. All calculations must be performed monochromatically, then the total signal integrated. This ability is required also for some of the testing of the instrument prior to launch. In order to accomplish this a software package was written as part of this cooperative agreement. The HALOE spectroscopic instrument package is a general purpose code that is not designed for sufficient efficiency for final analysis from a gas correlation spectrometer, but provides flexibility for instrumental studies which is far wider than the more efficiently written retrieval software.

The HALOE spectroscopic instrument package was used in various tests of the HALOE flight instrument. These included the spectral response test, the early stages of the gas response test and various spectral response tests of the detectors and optical elements of the instruments.

Considerable effort was also expended upon the proper laboratory setup for many of the prelaunch tests of the HALOE flight instrument, including the spectral response test and the gas response test. These tests provided the calibration and the assurance that the calibration was performed correctly.

III. Spectroscopic Studies

Numerous spectroscopic studies were performed under this cooperative agreement. These studies are documented in the publications listed in section V. Two of the studies are ongoing and these will be published in more detail as they are completed. The studies have all been included or will be included, if appropriate, in the United States Air Force's HITRAN database of spectroscopic line parameters.

Techniques of analysis of experimental spectroscopic data have been given high priority in these studies. The standard least squares spectrum fitting technique was expanded to much larger cases than had ever been tried before and the technique was expanded to the simultaneous analysis of many spectra acquired under different physical conditions and even with different spectrometers. These new techniques are orders of magnitude more rapid than the former techniques and with the rapid increase in speed of computers during this time, projects that were once unimaginable are now routine. In addition, the multispectrum technique makes the detection and measurement of parameters such as line mixing relaxation matrix elements possible for the first time from experimental data.

A very large, detailed study of the carbon dioxide molecule was successfully undertaken. The largest studies were undertaken in the spectral regions of the HALOE NO and CO₂ channels, but the regions studied actually were much broader than these channels. This large number of spectral line identifications, positions and intensities made it possible for Richard Wattson to improve the theoretical model of this molecule. The result has been a large improvement in the CO₂ spectroscopic line parameters available to HALOE in all spectral regions. The study in the region of the HALOE CO₂ channel and the studies of minor isotopomers are ongoing.

The methane molecule was also targeted as one that required better understanding in order to retrieve mixing ratios by way of the HALOE orbital data. Here, the theory upon which the experimental data could be analyzed was much less complete. During the time of this cooperative agreement, there was considerable improvement in the ability to theoretically predict positions and intensities of methane spectral lines by a French group. This enabled us to experimentally measure these same quantities as well as the widths and shifts (and their temperature dependencies) of these spectral lines which have proven too difficult to calculate from theory. The resulting spectral line parameters were disappointing in their ability to reproduce the experimental spectra from which they were derived. Application of Dicke line narrowing to the spectral lines was of no help. Application of line mixing in the Rosenkrantz approximation showed great promise, but further analysis showed that this approximation is not expected to be very accurate in the case of methane in the spectral region of the HALOE HCl and methane channels. A simple theory was applied to calculate the relaxation matrix elements and then exact line mixing theory applied to the calculation of the spectrum. The success of this technique was spectacular when only spectra from a single broadener at a single temperature were included. This theory was used to derive new spectral line parameters for both air and self broadening including temperature dependence for the air broadening. These parameters are the best now available for methane in this spectral region and were incorporated into the version 19 HALOE retrievals.

A number of other studies were undertaken for other reasons. These ranged from assistance in a larger study of ozone which has a large impact upon the HALOE ozone and HCl channels, a study of the temperature dependence of the halfwidths and shifts of methane spectral lines in the spectral region of the HALOE HF channel and various studies of minor isotopomers or spectral regions not used by HALOE which have lesser or no effect on the HALOE retrievals. These latter studies contribute to the overall theory of the molecules in question and improvement in this theory produces improved spectral lines where HALOE needs them.

Spectroscopic efforts under this study also included keeping the HALOE project abreast of relevant studies by other groups concerning newly measured or predicted spectral line parameters.

IV. Solar Studies

Philip Spickler used the HALOE solar scan data to study the surface of the sun for his Ph.D. dissertation. The center to limb brightness function of the quiet sun was measured in the 2.5 to 10 micrometer spectral region to much greater precision than ever before. The relative brightness over the surface of the sun was measured to better than 0.1%. The results of this study along with comparisons to what is predicted by solar atmospheric models is reported in a 1996 Solar Physics article (see section V). The center to limb intensity functions were quite different from those predicted by earlier studies, but that observed was consistent with the current temperature models of the sun.

These solar studies have also been supplemented with similar studies of some sunspots. The results show a considerable variation in the temperature structure of sunspots. This work appears in part in the dissertation and is an ongoing study.

V. Publications

Atlas of High Resolution Infrared Spectra of Carbon Dioxide: February 1983 Edition.
D. C. Benner, C. P. Rinsland, D. J. Richardson, T.-H. Soo and M. A. H. Smith
NASA Technical Memorandum 84612 (1983).

Absolute Intensity Measurements of the $(1110)_\text{II}$ - OOOO Band of $^{12}\text{C}^{16}\text{O}_2$ at 5.2 μm .
Curtis P. Rinsland, D. Chris Benner, Donald J. Richardson and R. A. Toth
Applied Optics **22**, 3805 (1983).

Atlas of High Resolution Infrared Spectra of Carbon Dioxide: February 1984 Edition.
C. P. Rinsland, D. Chris Benner, V. Malathy Devi, P. S. Ferry, C. H. Sutton, and D. J. Richardson
NASA Technical Memorandum 85764 (1984).

Atlas of High Resolution Infrared Spectra of Carbon Dioxide.
Curtis P. Rinsland, D. Chris Benner, V. Malathy Devi, Penelope S. Ferry, Carolyn H. Sutton and
Donald J. Richardson
Applied Optics **23**, 2051 (1984).

Absolute Intensity Measurements of CO_2 Bands in the 2395-2680- cm^{-1} Region.
V. Malathy Devi, Curtis P. Rinsland, and D. Chris Benner
Applied Optics **23**, 4067 (1984).

Absolute Intensities of Spectral Lines in Carbon Dioxide Bands Near 2050 cm^{-1} .
Curtis P. Rinsland and D. Chris Benner
Applied Optics **23**, 4523 (1984).

Identification and Intensities of the "Forbidden" $3\nu_3^2$ Band of $^{12}\text{C}^{16}\text{O}_2$.
D. Chris Benner and Curtis P. Rinsland
Journal of Molecular Spectroscopy **112**, 18 (1985).

Measurements of Absolute Line Intensities in Carbon Dioxide Bands Near 5.2 μm .
Curtis P. Rinsland, D. Chris Benner and V. Malathy Devi
Applied Optics **24**, 1644 (1985).

Measurements of $^{12}\text{CH}_4$ ν_4 Band Halfwidths Using a Tunable Diode Laser System and a Fourier Transform Spectrometer.
V. Malathy Devi, Curtis P. Rinsland, Mary Ann H. Smith and D. Chris Benner
Applied Optics **24**, 2788 (1985).

Tunable Diode Laser Measurements of Widths of Air- and Nitrogen-broadened Lines in the ν_4 Band of $^{13}\text{CH}_4$.

V. Malathy Devi, Curtis P. Rinsland, Mary Ann H. Smith and D. Chris Benner
Applied Optics **24**, 3321 (1985).

Tunable Diode Laser Measurements of Air- and N_2 -broadened Halfwidths in the ν_2 Band of D_2O .

V. Malathy Devi, C. P. Rinsland, D. Chris Benner and M. A. H. Smith
Applied Optics **25**, 336 (1986).

Absolute Intensities and Self-, N_2 -, and Air-broadened Lorentz Halfwidths for Selected Lines in the ν_3 Band of $^{12}\text{CH}_3\text{D}$ from Measurements with a Tunable Diode Laser Spectrometer.

V. Malathy Devi, Curtis P. Rinsland, D. Chris Benner, Mary Ann H. Smith and K. B. Thakur
Applied Optics **25**, 1848 (1986).

Diode Laser Measurements of Air and Nitrogen Broadening in the ν_2 Bands of HDO , H_2^{16}O and H_2^{18}O .

V. Malathy Devi, D. Chris Benner, C. P. Rinsland, M. A. H. Smith and B. D. Sidney
Journal of Molecular Spectroscopy **117**, 403 (1986).

Absolute Line Intensity Measurements in the ν_2 Bands of HDO and D_2O Using a Tunable Diode Laser Spectrometer.

K. B. Thakur, C. P. Rinsland, M. A. H. Smith, D. Chris Benner and V. Malathy Devi
Journal of Molecular Spectroscopy **120**, 239 (1986).

Diode Laser Measurements of Intensities and Halfwidths in the ν_6 Band of $^{12}\text{CH}_3\text{D}$.

V. Malathy Devi, D. Chris Benner, Curtis P. Rinsland, Mary Ann H. Smith and K. B. Thakur
Journal of Molecular Spectroscopy **122**, 182 (1987).

Measurements of Air-Broadened and Nitrogen-Broadened Lorentz Width Coefficients and Pressure Shift Coefficients in the ν_4 and ν_2 Bands of $^{12}\text{CH}_4$

Curtis P. Rinsland, V. Malathy Devi, Mary Ann H. Smith and D. Chris Benner
Applied Optics **27**, 631 (1988).

Air-Broadened Lorentz Halfwidths and Pressure-Induced Line Shifts in the ν_4 Band of $^{13}\text{CH}_4$

V. Malathy Devi, Curtis P. Rinsland, Mary Ann H. Smith and D. Chris Benner
Applied Optics **27**, 2296 (1988).

Measurements of Air-Broadened and Nitrogen-Broadened Halfwidths and Shifts of Ozone Lines Near $9\text{ }\mu\text{m}$.

M. A. H. Smith, C. P. Rinsland, V. Malathy Devi, D. Chris Benner and K. B. Thakur
Journal of the Optical Society of America B **5**, 585 (1988).

Absolute Intensities of CO₂ Lines in the 3140 to 3410 cm⁻¹ Spectral Region
D. Chris Benner, V. Malathy Devi, Curtis P. Rinsland and Penelope S. Ferry-Leeper
Applied Optics **27**, 1588 (1988).

Measurements of Argon-broadened Lorentz Width and Pressure Induced Line Shift Coefficients in the ν_4 band of ¹²CH₄.
C. P. Rinsland, V. Malathy Devi, M. A. H. Smith and D. C. Benner
Applied Optics **28**, 211 (1989).

Measurements of Air-, N₂-, and O₂-Broadened Halfwidths and Pressure-Induced Line Shifts in the ν_3 Band of ¹³CH₄
V. Malathy Devi, D. Chris Benner, Mary Ann Smith and Curtis P. Rinsland
Applied Optics **30**, 287 (1991); (Eratum) Applied Optics **30**, 2928 (1991).

Measurements of Lorentz Broadening Coefficients and Pressure Induced Line Shift Coefficients in the ν_2 Band of D₂¹⁶O
Curtis P. Rinsland, Mary Ann H. Smith, V. Malathy Devi and D. Chris Benner
Journal of Molecular Spectroscopy **150**, 173 (1991).

Measurements of Lorentz Broadening Coefficients and Pressure Induced Line Shift Coefficients in the ν_2 Band of HD¹⁶O
C. P. Rinsland, M. A. H. Smith, V. Malathy Devi and D. Chris Benner
Journal of Molecular Spectroscopy **150**, 640 (1991).

Measurements of Pressure Broadening and Pressure Shifting by Nitrogen in the 4.3 μ m Band of ¹²C¹⁶O₂
V. Malathy Devi, D. Chris Benner, Curtis P. Rinsland and Mary Ann H. Smith
Journal of Quantitative Spectroscopy and Radiative Transfer **48**, 581 (1992).

Methane and Its Isotopes: Current Status and Prospects for Improvement
L. R. Brown, J. S. Margolis, J. P. Champion, J. C. Hilico, J. M. Jouvard, M. Loete, C. Chackerian, Jr., G. Tarrago and D. Chris Benner
Journal of Quantitative Spectroscopy and Radiative Transfer **48**, 617 (1992).

The HITRAN Molecular Database: Editions of 1991 and 1992
L. S. Rothman, R. R. Gamache, R. H. Tipping, C. P. Rinsland, M. A. H. Smith, D. Chris Benner, V. Malathy Devi, J.-M. Flaud, C. Camy-Peyret, A. Perrin, A. Goldman, S. T. Massie, L. R. Brown and R. A. Toth
Journal of Quantitative Spectroscopy and Radiative Transfer **48**, 469 (1992).

Temperature Dependence of Broadening and Shifts of Methane Lines in the ν_4 Band
M. A. H. Smith, C. P. Rinsland, V. Malathy Devi and D. Chris Benner
Spectrochimica. Acta **48A**, No. 9, 1257 (1992).

Measurements of Pressure Broadening and Pressure Shifting by Nitrogen in the ν_1 and ν_3 Bands of H_2^{16}O

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and Curtis P. Rinsland
Journal of Molecular Spectroscopy **155**, 333 (1992).

Measurements of Lorentz-Broadening Coefficients and Pressure-Induced Line Shift Coefficients in the ν_1 Band of HD^{16}O and the ν_3 Band of D_2^{16}O

Curtis P. Rinsland, Mary Ann H. Smith, V. Malathy Devi and D. Chris Benner
Journal of Molecular Spectroscopy **156**, 507 (1993).

Measurements of Air Broadening and Pressure Shifting of Methane Lines in the 2.3 μm Region

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and Curtis P. Rinsland
Journal of Molecular Spectroscopy **157**, 95 (1993).

The Fundamental Bands of H^{35}Cl and H^{37}Cl : Line Positions from High-Resolution Laboratory Data

C. P. Rinsland, M. A. H. Smith, A. Goldman, V. Malathy Devi and D. Chris Benner
Journal of Molecular Spectroscopy **159**, 274 (1993).

Air-, N_2 -, and O_2 -Broadening and Shift Coefficients in the ν_3 Spectral Region of $^{12}\text{CH}_4$.

D. Chris Benner, V. Malathy Devi, Mary Ann H. Smith and Curtis P. Rinsland
Journal of Quantitative Spectroscopy and Radiative Transfer **50**, 65 (1993).

Temperature Dependence of Lorentz Air-broadening and Pressure-shift Coefficients of $^{12}\text{CH}_4$ Lines in the 2.3- μm Spectral Region

V. Malathy Devi, D. Chris Benner, M. A. H. Smith and C. P. Rinsland
Journal of Quantitative Spectroscopy and Radiative Transfer **51**, 439 (1994).

A Multispectrum Nonlinear Least Squares Fitting Technique

D. Chris Benner, Curtis P. Rinsland, V. Malathy Devi, Mary Ann H. Smith and David Atkins
Journal of Quantitative Spectroscopy and Radiative Transfer **53**, 705 (1995).

Solar Center to Limb Infrared Intensity from the Halogen Occultation Experiment

Philip T. Spickler, D. Chris Benner and James M. Russell, III
Solar Physics **165**, 23-39 (1996).

Validation of HALOE CH_4 Measurements from the UARS

J. H. Park, J. M. Russell III, L. L. Gordley, S. R. Drayson, D. Chris Benner, J. McInerney, M. R. Gunson, G. C. Toon, B. Sen, J.-F. Blavier, C. R. Webster, E. C. Zipf, P. Erdman, U. Schmidt and C. Schiller

Journal of Geophysical Research **101**, No. D6, 10183-10203 (1996).

Infrared Spectroscopy of the CO₂ Molecule

V. Malathy Devi, D. Chris Benner, C. P. Rinsland, M. A. H. Smith and D. S. Parmar
Recent Research Developments in Geophysical Research **1**, 119-148 (1996).

Solar Infrared Relative Intensity Data From the Halogen Occultation Experiment

Philip T. Spickler

Dissertation, College of William and Mary, 1997.

Air-Broadening and Shift Coefficients of O₃ Lines in the ν_2 Band and their Temperature Dependence

V. Malathy Devi, D. Chris Benner, M. A. H. Smith and C. P. Rinsland

Journal of Molecular Spectroscopy **182**, 221-238 (1997)

Temperature Dependence of Air-Broadening and Shift Coefficients of O₃ Lines in the ν_1 Band

M. A. H. Smith, V. Malathy Devi, D. Chris Benner and C. P. Rinsland

Journal of Molecular Spectroscopy **182**, 239-259 (1997).

Air- and N₂-broadening Coefficients and Pressure-Shift Coefficients in the ¹²C¹⁶O₂ Laser Bands

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and Curtis P. Rinsland

Journal of Quantitative Spectroscopy and Radiative Transfer **59**, 137-149 (1998).

Pressure Broadening and Pressure Shift Coefficients in the $2\nu_2^0$ and ν_1 Bands of ¹⁶O¹³C¹⁸O

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and Curtis P. Rinsland

Journal of Quantitative Spectroscopy and Radiative Transfer in press (November 1998 issue).

Spectroscopic Parameters for Ozone and Its Isotopes: Current Status, Prospects for Improvement, and the Identification of ¹⁶O¹⁶O¹⁷O and ¹⁶O¹⁷O¹⁶O Lines in Infrared Ground-based and Stratospheric Solar Absorption Spectra

C. P. Rinsland, J.-M. Flaud, A. Goldman, A. Perrin, C. Camy-Peyret, M. A. H. Smith, V. Malathy Devi, D. C. Benner, A. Barbe, T. M. Stephen and F. J. Murcray

Journal of Quantitative Spectroscopy and Radiative Transfer, in press (November 1998 issue).

Self-Broadening and Self-Shift Coefficients in the Fundamental Band of ¹²C¹⁶O

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and Curtis P. Rinsland

Journal of Quantitative Spectroscopy and Radiative Transfer, in press (November 1998 issue).

Absolute Rovibrational Intensities of ¹²C¹⁶O₂ Absorption Bands in the 3090 to 3900-cm⁻¹ Spectral Region

V. Malathy Devi, D. Chris Benner, Curtis P. Rinsland and Mary Ann H. Smith

Journal of Quantitative Spectroscopy and Radiative Transfer, in press (November 1998 issue).